Journal of Immunological Methods, 165 (1993) 281–282
Elsevier Science Publishers B.V.

Contents to volume 165 (1993)

Number 1 – 27 September

Research reports

Monoclonal antibody based ELISAs for measurement of activins in biological fluids
W.L.T. Wong, S.J. Garg, T. Woodruff, L. Bald, B. Fendly and J.A. Lofgren (USA) 1

Comparison of immunomagnetic beads coated with protein A, protein G, or goat anti-mouse immunoglobulins. Applications in enzyme immunoassays and immunomagnetic separations
M.N. Widjojoatmodjo, A.C. Fluit, R. Torensma and J. Verhoef (Netherlands) 11

Human natural killer cells: a convenient purification procedure and the influence of cryopreservation on cytotoxic activity
H. Voshol, H.F.J. Dullens, W. Den Otter and J.F.G. Vliegenthart (Netherlands) 21

Selection of anticoagulants for lymphocyte immunophenotyping. Effect of specimen age on results
J.K.A. Nicholson, T.A. Green and C. Laboratories (USA) 31

Constructing polycompetitor cDNAs for quantitative PCR
S.L. Reiner, S. Zheng, D.B. Corry and R.M. Locksley (USA) 37

Rapid agglutination testing in an ultrasonic standing wave
M.A. Grundy, W.E. Bolek, W.T. Coakley and E. Benes (UK, Austria) 47

Particulate nitrocellulose as a solid phase for protein immobilization in immuno-affinity chromatography
P. Hammerl, A. Hartl and J. Thalhamer (Austria) 59

Efficient immunostaining of tissue sections with chemically modified monoclonal antibody
T. Masuko, H. Ueno and Y. Hashimoto (Japan) 67

A modified method for obtaining large amounts of high titer polyclonal ascites fluid
S.K.-h. Ou, J.M.-c. Hwang and P.H. Patterson (USA) 75

An improved method for generating single-chain antibodies from hybridomas
P.J. Nicholls, V.G. Johnson, M.D. Blanford and S.M. Andrew (USA) 81

Rapid fluorometric quantification of monocyte attachment in tissue culture wells
L. Shapira, S. Takashiba, J.R. Kalmar, T.E. Van Dyke, V. Barak and W.A. Soskolne (USA, Israel) 93

Purification of human IgG4 subclass with allergen-specific blocking activity
P. Lambin, A. Bouzoumou, M. Murrieta, M. Debbia, P. Rouger, F. Leynadier and D.A. Levy (France) 99

A quantitative radiometric assay to measure mammalian cell binding to hyphae of *Candida albicans*
C.B. Forsyth and H.L. Mathews (USA) 113

In vivo labelling of the spleen with a red-fluorescent cell dye
A.-N. Khalaf, G. Wolff-Vorbeck, K. Bross, L. Kerp and K.-G. Petersen (Germany) 121

Affinity cleavage of cell surface antibodies using the avidin-biotin system
R. Alon, E.A. Bayer and M. Wilchek (Israel) 127

Book review 135

Notes to authors 137

Number 2 – 15 October

Research reports

Preparation of $CD8^{bright}$ and $CD8^{dim}$ lymphocyte populations using two positive selection methods in tandem
H.E. Prince, S. Bermudez and S. Plaeger-Marshall (USA) 139

Rapid transgene expression in lymphocyte and macrophage primary cultures after particle bombardment-mediated gene transfer
J.K. Burkholder, J. Decker and N.-S. Yang (USA) 149

Lymphocyte locomotion in three-dimensional collagen gels. Comparison of three quantitative methods for analysing cell trajectories
P. Friedl, P.B. Noble and K.S. Zänker (Germany, Canada) 157
Immunoassays for inhibin and its subunits. Further applications of the synthetic peptide approach
N. Groome and M. O'Brien (UK) 167
A comparison of the binding of biotin and biotinylated macromolecular ligands to an anti-biotin monoclonal antibody and to streptavidin
P. Vincent and D. Samuel (UK) 177
Kinetics of the autologous red cell agglutination test
B. Catimel, K.M. Wilson and B.E. Kemp (Australia) 183
A simple and inexpensive high density dialysis tubing cell culture system for the in vitro production of monoclonal antibodies in high concentration
F.W. Falkenberg, T. Hengelage, M. Krane, I. Bartels, A. Albrecht, N. Holtmeier and M. Wüthrich (Germany) 193
Limitations and modifications of quantitative polymerase chain reaction. Application to measurement of multiple mRNAs present in small amounts of sample RNA
J.S. Babu, S. Kanangat and B.T. Rouse (USA) 207
A simple technique for the rapid enrichment of class and subclass hybridoma switch variants. A 1000-fold enrichment in half the time, for half the cost
G.B. Faguet and J.F. Agee (USA) 217
Dot-blot immunodetection of antibodies against G_{M1} and other gangliosides on PVDF-P membranes
F. Chabraoui, E.A. Derrington, F. Mallie-Didier, C. Confavreux, C. Quincy and C. Caudie (France) 225
Accurate and rapid assessment of MHC antigen upregulation following cytokine stimulation
D.J. Gillott, A.M.E. Nouri, S.J. Compton and R.T.D. Oliver (UK) 231
Autoantibodies against topoisomerase I detected with the natural enzyme and overlapping recombinant peptides
H.P. Seelig, H. Schröter, H. Ehrfeld and M. Renz (Germany) 241
Comparison of two modified techniques for purifying blood eosinophils
M. Laviolette, M. Bossé, H. Rocheleau, S. Lavigne and C. Ferland (Canada) 253
The use of chemiluminescence and the ELISA spot assay to identify and enumerate rare immunoglobulin switch variants
G. Spira, P.D. Gregor and M.D. Scharff (USA, Israel) 263
Processing proIL-1β decreases detection by a proIL-1β specific ELISA but increases detection by a conventional ELISA
M.D. Wewers, H.A. Pope and D.K. Miller (USA) 269

Announcement 279

Contents to volume 165 (1993) 281

Notes to authors 283